

# VEROC



*Inspired,  
Stylish,  
Redefined...*

VEROC bold black color concept further enhance modern contemporary impression of your office. Slim shape easy to fit into narrow door frame with limited space.



**MAG Nicas**  
Hybrid Cloud Access Control


## Stylish and robust

A slim, IP56-rated design that delivers reliable performance in demanding environments without compromising on a modern, minimalist aesthetic. Perfect for both indoor and outdoor installations.




## Easy to fit into your budget

Reduce wiring costs with our RS485 looping architecture, or maximize scalability with Direct TCP/IP readers that connect to your nearest network point. Mix & match flexible architecture to fit your budget and requirements.



## Higher security with just one card

Our hybrid card technology combines DESfire private key encryption with our Xclone long range reader to achieve a fully encrypted security journey from car to door and lift access that prevents card cloning problem while maintaining only 1 card per user.



## Manage anywhere from anywhere

We ensure reliable real-time automated alarm monitoring, CCTV, anti-passback, block/unblock, and picture capture on-premise without dependency on internet, while you enjoy the convenience of managing all access security of multiple sites from your mobile phone with MAGNicas Hybrid Cloud Access Control.

## Avoid hassle and delay for visitor

Eliminate entrance congestion. Pre-registered QR codes and License Plate Recognition (LPR) allow visitors, cars and supplier trucks to enter smoothly, keeping your traffic flowing.



## Reduce fraud with visual proof

You can only catch what you can see. MagEtegra provides real-time visual comparison of "In" and "Out" evidence on-premise, ensuring total accountability at critical access points.



## Improve guard efficiency


E-map instantly pinpoint alarm locations to help guards response faster.

Avoid wasting guard's time and resource attending false alarm by validating threats via integrated CCTV live view and playback.





## Minimize liability during emergency

Quickly identify who is still trapped inside, and allow immediate rescue action to prevent life loss or bad injury. Protect your organization from bad reputation and expensive compensation.




Submit by guard or member mobile app



Track by management web portal

## Avoid unmanaged threat

You cannot manage what you do not track. By digitalizing every incident, we help you automate escalation and resolution follow-ups, ensuring no security threat goes unaddressed.



Manager can check all doors and I/O alarms remarked by supervisor or guard to execute solution.

## Veroc Ordering Info:



Model	TCP/IP	RS485	Wiegand	Keypad	RFID Type
CA413-RKE		✓		Visible	EM
CA413-RKM		✓		Visible	Mifare, DESFire
CA413-TKE	✓	✓		Visible	EM
CA413-TKM	✓	✓		Visible	Mifare, DESFire
CA413-RNE		✓		Invisible	EM
CA413-RNM		✓		Invisible	Mifare, DESFire
CA413-WNE			✓	No	EM
CA413-WNM			✓	No	Mifare, DESFire

## MAC series door interface and lift floor controller



**MAC302M**  
Dual Door  
Interface

**MAC318M**  
16+2 Multi-Door  
Interface

**MAC316M**  
14+2 Multi-Door  
Interface

**MAC416M/432M**  
16 Relay Output  
Interface for lift access



## Supporting Devices & Modules



Xclone Long  
Range UHF  
Reader



Smart License  
Plate Recognition  
Camera



Spring Free  
Barrier Gate



Face Recognition  
with Fingerprint  
and QR



MagEtegra  
Access Control  
Software (ACS)



MagNicas  
Cloud Visitor  
Management  
System (VMS)



Anti Tamper  
Power Supply  
12V



IP Camera



Network  
Converter



EM, Mifare, Desfire,  
Xclone, Xclone + EM,  
Mifare or Desfire  
Hybrid Card



LINE Series Slim  
Pedestrian Gate



NEO Series Stylish  
Pedestrian Gate



Dropbox for  
Card with Holder  
and Pin

Authorised Dealer:

Copyright © 2026 Magnet  
Security & Automation Sdn Bhd  
All rights reserved.

All specification, drawing and  
product info are subject to  
change without prior notice.



ISO9001  
certified by

